

# Hosenrockkombi ULI

You can make many basic designs from the Uli Skort for any time of the year. The shirt, shorts and skirt are fast and easy to sew and are suitable for beginners.



There are many variations to the Uli combination: With simple or double flounces, without flounces, playful ruffles on colorful, summer fabrics, a sporty look made with jeans fabric and a slanted trimming or zigzag border at the seam.

You can find a detailed photo tutorial as well as other examples on our Homepage at [www.farbenmix.de](http://www.farbenmix.de) – Anleitungen.

Please make sure to take measurements BEFORE beginning your project and be sure to note the front length as well as the width!

## Material

Supplies / Sizes	86 / 92 1 / 2	98 / 104 3 / 4	110 / 116 5 / 6	122 / 128 7 / 8	134 / 140 9 / 10	146 / 152 11 / 12
<b>SHIRT</b>						
Chest	55 cm 21.6"	57 cm 22.4"	59 cm 23.2"	63 cm 24.8"	67 cm 26.3"	75 cm 29.5"
Hem Width	60 cm 23.6"	62 cm 24.4"	64 cm 25.1"	68 cm 26.7"	72 cm 28.3"	80 cm 31.4"
Shoulder Width	3.1 cm 1.2"	3.1 cm 1.2"	3.5 cm 1.3"	4.1 cm 1.6"	4.7 cm 1.9"	5.3 cm 2"
Front Length	25.5 cm 10"	29.5 cm 11.6"	33.5 cm 13.2"	37.5 cm 14.8"	41.5 cm 16.3"	46.3 cm 18.2"
<b>SKORT</b>						
Waist, Finished	42 cm 16.5"	44 cm 17.3"	46 cm 18.1"	49 cm 19.3"	72 cm 28.3"	76 29.9"
Waist, Cut	65 cm 25.6"	67 cm 26.4"	69 cm 27.2"	72 cm 28.3"	75 cm 29.5"	80 cm 31.4"
Hip Width	67.5 cm 26.6"	70.5 cm 27.8"	73.5 cm 28.9"	79.5 cm 31.3"	85.5 cm 33.7"	93.5 cm 36.8"
Side Seam, Pants	21 cm 8.3"	23 cm 9"	27 cm 10.6"	33 cm 13"	39 cm 15.4"	46.5 cm 18.3"
Side Seam, Skirt	21 cm 8.3"	23 cm 9"	27 cm 10.6"	33 cm 13"	39 cm 15.4"	46.5 cm 18.3"
<b>Fabric (140cm wide = 55" wide)</b>						
* Shirt (elastic)	28 cm 11"	33 cm 13"	38 cm 15"	43 cm 16.9"	50 cm 19.7"	57 cm 22.4"
* Skort with Flounces	70 cm 27.6"	76 cm 29.9"	82 cm 32.3"	88 cm 34.6"	94 cm 37"	100 cm 39.4"
* Skort without Flounces	57 cm 22.4"	63 cm 24.8"	68 cm 26.7"	74 cm 29.1"	80 cm 31.4"	86 cm 33.9"
* Skirt with Flounces	63 cm 24.8"	69 cm 27.2"	75 cm 29.5"	81 cm 31.9"	87 cm 34.3"	93 cm 36.6"
Elastic band (0.3" Wide)	90 cm 35.4"	94 cm 37"	98 cm 38.6"	104 cm 40.9"	110 cm 43.3"	58 cm 62.2"


# Hosenrockkombi ULI

## Cutting The Pattern

Cut the pattern pieces as indicated in the Pattern Pieces list. Add the seam allowance (unless otherwise indicated) and cut in the direction of the grain. The shirt should be sewn using a stretch material.


### Pattern Pieces List / Shirt Layout

10 – Front Piece	1 x on fold
11 – Back Piece	1 x on fold
Collar – Rectangle (seam included)	1 x
Size 1 / 2 : 2" x 13.7"	
Size 3 / 4 : 2" x 14"	
Size 5 / 6 : 2" x 14.3"	
Size 7 / 8 : 2" x 15"	
Size 9 / 10 : 2" x 15.6"	
Size 11 / 12 : 2" x 16"	




### Pattern Pieces List / Skort (with flounces)

1 – Shorts, Front Piece	2 x
2 – Shorts, Back Piece	2 x
3 – Skirt (Front Piece)	1 x on fold
4 – Skirt Pocket	2 x on fold
5 – Shorts, Back Pocket	4 x
6 – Belt Loops	5 x
7 – Flounce, Shorts Back	2 x
8 – Flounce, Skirt Front	1 x on fold
9 – Flounce, Shorts Front	2 x
Waistband – Rectangle (seam included)	1 x
Size 1 / 2 : 3.5" x 26.3"	
Size 3 / 4 : 3.5" x 27.2"	
Size 5 / 6 : 3.5" x 28"	
Size 7 / 8 : 3.5" x 29.1"	
Size 9 / 10 : 3.5" x 30.3"	
Size 11 / 12 : 3.5" x 32.3"	



### Pattern Pieces List / Skort (without flounces)


1 – Shorts, Front Piece	2 x
2 – Shorts, Back Piece	2 x
3 – Skirt (Front Piece)	1 x on fold
4 – Skirt Pocket	1 x on fold
5 – Shorts, Back Pocket	4 x
6 – Belt Loops	5 x
Waistband – Rectangle (seam included)	1 x
Size 1 / 2 : 3.5" x 26.3"	
Size 3 / 4 : 3.5" x 27.2"	
Size 5 / 6 : 3.5" x 28"	
Size 7 / 8 : 3.5" x 29.1"	
Size 9 / 10 : 3.5" x 30.3"	
Size 11 / 12 : 3.5" x 32.3"	



# Hosenrockkombi ULI

## Pattern Pieces List / Skirt with flounces

3 – Skirt	2 x on fold
4 – Skirt Pocket	2 x on fold
8 – Flounces for Skirt	2 x on fold
Waistband – Rectangle (seam included)	1 x
Size 1 / 2 : 3.5" x 26"	
Size 3 / 4 : 3.5" x 26.7"	
Size 5 / 6 : 3.5" x 27.6"	
Size 7 / 8 : 3.5" x 29.1"	
Size 9 / 10 : 3.5" x 30.7"	
Size 11 / 12 : 3.5" x 33.1"	



## Sewing

### Shirt

1. Lay the front (10) and back (11) pieces with the right sides together. Stitch one of the shoulder seams together. Press, steam and topstitch.
2. Fold the collar in half lengthwise and stitch to the neckline of the shirt, stretching the material slightly. Fold the seam allowance in and stitch together using a flexible stitch (i.e. a 3-stitch zigzag) and top stitch. Stitch the other shoulder seam together. Fold the seam allowance in and stitch together using a triangle stitch.
3. Press and steam the armholes, stretching the material slightly. Fold the seam allowance of the armholes in and stitch with a flexible stitch.
4. Press, steam and stitch the side seams. Fold the seam allowance in and stitch the seam of the sleeve with a triangle stitch.
5. Stitch the hem.

### Skorts with Flounces

1. Stitch the hem of all flounces.
2. Lay the flounce (7) and the shorts back (2) with the right sides together. Stitch together. Press, steam and topstitch. Repeat again with flounce (9) and the shorts back (1) and with the flounce (8) and skirt (3).
3. Lay the back pocket pieces (5) with the right sides together and stitch, leaving a small opening at the top of the pocket to turn fabric right side out again. Trim the corners. Turn the pocket right side out and double stitch the top edge of the pocket (with two edge stitches, 1cm apart). Lay the finished back pocket pieces onto the shorts back piece and double stitch around the edge of the pocket.
4. Lay the skirt pocket pieces (4) down with the right sides together. Leave a small opening for turning the fabric right side out at the top edge of the pocket. Trim the corners. Turn the pocket right side out. Stitch the top edge of the pocket opening together with a double edge stitch (two edge stitches, 1 cm apart). Lay the pocket onto the front of the skirt at the appropriate markings and double stitch around the pocket. Backstitch at the beginning and end of the double stitch to secure the pocket into place.
5. Press, steam and stitch the crotch of the front and back pieces for the shorts.
6. Lay the skirt piece onto the front of the shorts and stitch together at the waist seam.
7. Lay the front pieces (= stitched together skirt + front shorts piece) and the shorts back piece with the right sides together. Stitch together and then press, steam and topstitch.
8. Stitch the inner leg seam together, right sides together. Press, steam and serge. Fold the seam allowance in toward the back short piece and topstitch along the edge.

# Hosenrockkombi ULI

9. Make the belt loops. To do so, cut a long strip of fabric about 50cm x 4 cm (19.7" x 1.6") long. Fold the strip in half, lengthwise, press and steam. Fold in the sides lengthwise again and press and steam. Edge stitch along both edges, lengthwise. Cut the finished strip into 5 equal pieces. Lay the belt loops on the markings on the waistband with the right sides together. The loop ends should be pointing down towards the hem of the shorts. Stitch the loops into the seam allowance.
10. Fold the waistband strip in, right sides together, and stitch the shorter sides together. Make sure to leave a 1cm (1/3") opening to thread the elastic band through. Lay the waistband strip onto the seam of the shorts back and pin in place. Make sure that the right side of the fabric faces the wrong side of the shorts. Stitch the waistband strip onto the waistline of the garment. Fold the loose side of the waistband strip over the edge of the waistline, fold seam allowance in and topstitch along the edge of the waistband strip. Topstitch along the very top edge of the attached waistband strip. Now topstitch another parallel seam between the top and bottom stitches that you just made. Be sure to begin just after the middle seam of the shorts at the back and end the stitch just before the middle seam at the back of the shorts.
11. Fold the belt loops up about 5mm (1/5") and attach to the garment using a zigzag anchor stitch. Fold the top of the belt loop in towards the wrong side of the shorts about 1cm (1/3") and make a cut at that point, then fold the end in about 1cm (1/3") and stitch the end to the top edge of the shorts with a zigzag anchor stitch.

## Skorts without Flounces

Hem the front (1) and back (2) shorts pieces and the skirt piece (3). When done, follow steps 3 – 11 from the instructions for the *Skorts with Flounces*.

## Skirt with Flounces

1. Hem the bottom edge of the flounces (8).
2. Lay the flounces (8) right sides together against the skirt piece (3). Stitch together. Press, steam and topstitch.
3. Lay the skirt pocket pieces (4) with the right sides together and stitch along the edge, leaving a small opening at the top to turn the pocket right side out. Trim the corners. Turn the pocket right side out. Stitch the opening of the pocket with a double stitch (edge stitch and 1cm (1/3") apart). Lay the skirt pocket onto the markings on the skirt and double stitch. Make a zigzag anchor stitch at each corner of the pocket opening.
4. Lay the skirt pieces with the right sides together and stitch together. Press, steam and topstitch. Fold the seam allowance in and topstitch to the very edge of the garment.
5. Make the belt loops as directed in Step 9 of the instructions for the *Skorts with Flounces*.
6. Attach the waistband as directed in Steps 9 and 10 of the instructions for the *Skorts with Flounces*.

Have fun and good luck with your project!

Design:	Sabine Pollehn
Patterns:	Anja Müssig
Instruction:	Katalina Grohmann
Translation:	Eliza Yilmaz
Drawing:	Gaby Siewertsen